



Introduction to OEI Magnetic Filtration







CORE TECHNOLOGY



Improve equipment reliability and in turn increase profitability.



Reduce unplanned maintenance and improve team safety.



Clean instead of dispose and protect your environment.

The patented, magnetic filter element attract ferrous wear particles down to and below 4 microns (μ) with up to 95%+ efficiency.

- Cleanable and reusable for 18+ years with minimal consumables.
- Filtration capability exceeds ISO fluid cleanliness standards.
- High dirt holding capacity allowing for longer service intervals.

Fluid Life (av. 2.5x)

Filter Life

Equipment Life (av. 2.5x)

Service Intervals (av. 2.5x)







EXTENDING MAINTENANCE INTERVALS

Targa Resources

PREVENTED \$300,000 IN FILTER CHANGEOUTS ON COMPRESSOR LUBE OIL



- Compressor was failing from contamination. 2 pumps per year failing at \$65,000 / pump.
- With magnetic filter, conventional filter changeouts dropped from 67 to 11.
- Annual savings: \$300,000

Read Case Study

Crescent Point Energy

1500 HP NATURAL GAS SCREW COMPRESSOR PROTECTION SAVES \$90,140 IN FIRST YEAR



- Natural gas plant screw compressor required filter changeouts every 3 weeks. Magnetic filter prevented 17 filter changeouts and associated costs.
- Payout in 24 days.
- Annual savings: \$90,140

Read Case Study

ENI

OFFSHORE GAS PLATFORM
GLYCOL SYSTEM PROTECTION



- Contamination entering a 3000-7000 L glycol reservoir from a 32 km pipeline causing production loss.
- Filter improved glycol quality and reduced unplanned maintenance
- 74% of contamination captured was non-ferrous.

Read Case Study

Deployment:

Boilers

Heat Exchangers

Cooling Towers

Compressors

Meters

Pumps

Subsea Hydraulics

Gearboxes

Generators

Steam Turbines

Waste Brine

HPUs





SOLVING TOMORROW'S CHALLENGES, TODAY.

© 2021 One Eye Industries Inc. All rights reserved.